

- Abuelgasim, A., Nuha, H. S. and Mohammed, A. H. (2008) Hepatoprotective effect of lepidium sativum against carbon tetrachloride induced damage in rats, Research Journal of Animal and Veterinary Sciences, vol. 3: 20-23.
- Agarwal, J. and Verma, D. L. (2011) Antioxidative activity and flavonoid composition from lepidium sativum, Nature and Science, vol. 9: 21-25.
- Akkas, S. B., Severcan, M., Yilmaz, O. and Severcan, F. (2007a) Effects of lipoic acid supplementation on rat brain tissue: An ftir spectroscopic and neural network study, Food Chemistry, vol. 105: 1281–1288.
- Akkas, S. B., Inci, S., Zorlu, F. and Severcan, F. (2007b) Melatonin affects the order, dynamics and hydration of brain membrane lipids, J. Mol. Struct., vol. 834-836: 207–215.
- Albano, E. (2008) Oxidative mechanisms in the pathogenesis of alcoholic liver disease, Mol Aspects Med., vol. 29: 9–16.
- Al Hamedan, W. (2010) Protective effect of lepidium sativum l. Seeds powder and extract on hypercholesterolemic rats, Journal of American Science, vol. 6: 873-879.
- Amacher, D. E., Schomaker, S. J. and Burkhardt, J. E. (1998) The relationship among microsomal enzyme induction, liver weight and histological change in rat toxicology studies, Food. Chem. Toxicol., vol. 36: 831–839.
- Amer, S. M. and Aly, F. A. (2001) Genotoxic effect of 2, 4-dichlorophenoxyacetic acid and its metabolite 2, 4-dichlorophenol in mouse, Mutation Research, vol. 25: 1–12.
- Antoine, K. M., Shirin, M., Angela, D. M. and Lisa, M. M. (2010) Chemical differences are observed in children's versus adults' latent fingerprints as a function of time, Journal of Forensic Sciences, vol. 55: 513–518.
- Archana, N. P. and Anita, A. M. (2006) A study on clinical efficacy of lepidium sativum seeds in treatment of bronchial asthma, iran, J. Pharmacol. Ther., vol. 5: 55–59.
- Arivazhagan, P., Thilakavathy, T., Ramanathan, K., Kumaran, S. and Panneerselvam, C. (2002) Effect of dl-a-lipoic acid on the status of lipid peroxidation and

- protein oxidation in various brain regions of aged rats, Journal of Nutritional Biochemistry, vol. 13: 619–624.
- Aydemir, T. and Becerik, S. (2009) Phenolic content and antioxidant activity of different extracts from *ocimum basilicum*, *apium graveolens* and *lepidium sativum* seeds, Journal of Food Biochemistry, vol. 35: 62–79.
- Baradwaj, L., Dhami, K., Schneberger, D., Stevens, M., Renaud, C. and Ali, A. (2005) Altered gene expression in human hepatoma hepg2 cells exposed to low-level 2, 4-dichlorophenoxyacetic acid and potassium nitrate, Toxicology in Vitro, vol. 19: 603-619.
- Berrada, H., Ferná ndez, M., Ruiz, M. J., Molto´ , J. C., Man˜ es, J. and Font, G. (2010) Surveillance of pesticide residues in fruits from valencia during twenty months (2004/05), J. Food Control, vol. 21: 36–44.
- Bertheussen, K., Yousef, M. I. and Figenschau, Y. (1997) A new sensitive cell culture test for the assessment of pesticide toxicity, Journal of Environmental Sciences and Health, vol. 32: 195–211.
- Bilgin, H. M., Atmaca, M., Obay, B. D., zekinci, S., Tademir, E. and Ketani, A. (2010) Protective effects of coumarin and coumarin derivatives against carbon tetrachloride-induced acute hepatotoxicity in rats, Experimental and Toxicologic Pathology, vol. 63: 325-330.
- Bongiovanni, B., De Lorenzi, P., Ferri, A., Konjuh, C., Rassetto, M., Evangelista de Duffard, A. M., Cardinali, D. P. and Duffard, R. (2007) Melatonin decreases the oxidative stress produced by 2, 4-dichlorophenoxyacetic acid in rat cerebellar granule cells, Neurotox Res., vol. 11: 93-99.
- Borchman, D., Giblin, F., Leverenz, V., Reddy, V., Lin Li-Ren, Yappert, M., Tang, D. and Li, L. (2000) Impact of aging and hyperbaric oxygen *in vivo* on guinea pig lens lipids and nuclear light scatter, Invest Ophthalmol Vis Sci., vol. 41: 3061–3073.
- Borchman, D. and Yappert, M. C. (1998) Age-related lipid oxidation in human lenses, Invest Ophthalmol Vis Sci., vol. 39: 1053-1058.
- Bradberry S.M., Watt B.E., Proudfoot A.T. and Vale J.A. (2000) Mechanism of toxicity, clinical features and management of acute chlorophenoxy herbicide poisoning: a review, Clin. Toxicol., Vol. 38: 111-122.

- Brożek-Pluska, B., Placek, I., Kurczewski, K., Morawiec, Z., Tazbir, M. and Abramczyk, H. (2008) Breast cancer diagnostics by raman spectroscopy, Journal of Molecular Liquids, vol. 141: 145–148.
- Bukowska, B. (2003) Effects of 2, 4-d and its metabolite 2, 4-dichlorophenol on antioxidant enzymes and level of glutathione in human erythrocytes, Compar. Biochem. Physiol., vol. 135: 435–441.
- Bukowska, B. (2006) Toxicity of 2, 4-dichlorophenoxyacetic acid – molecular mechanisms, Polish J. of Environ. Stud., vol. 15: 365-374.
- Bukowska, B., Rychlik, B., Krokosz, A. and Michalowicz, J. (2008) Phenoxyherbicides induce production of free radicals in human erythrocytes: Oxidation of dichlorofluorescein and dihydrorhodamine by 2, 4-d-na and mcpana, Food Chem. Toxicol., vol. 46: 359–367.
- Cakmak, G., Zorlu, F., Severcan, M. and Severcan, F. (2011) Screening of protective effect of amifostine on radiation-induced structural and functional variations in rat liver microsomal membranes by FTIR spectroscopy, Anal. Chem., vol. 83: 2438–2444.
- Cakmak G., Togan I. and Severcan, F. (2006) 17 β -estradiol induced compositional, structural and functional changes on rainbow trout liver, revealed by ftir spectroscopy: A comparative study with nonylphenol, Aquatic Toxicology, vol. 77: 53-63.
- Calderón-Montaña, J. M., Burgos-Morón, E., Pérez-Guerrero, C. and López-Lázaro, M. (2011) A review on the dietary flavonoid kaempferol, Mini-Reviews in Medicinal Chemistry, vol. 11: 298-344.
- Carmona, P., Rodríguez-Casado, A., Alvarez, I., de Miguel, I. and Toledano, A. (2008) Ftir microspectroscopic analysis of the effects of certain drugs on oxidative stress and brain protein structure, Biopolymers, vol. 89: 548-554.
- Caspers, P. J., Lucassen, G. W., Carter, E. A., Bruining, H. A. and Puppels, G. J. (2001) *In vivo* confocal raman microspectroscopy of the skin: Noninvasive determination of molecular concentration profiles, J. Invest. Dermatol., vol. 116: 434–442.
- Charles, J. M., Hanley Jr., T. R., Wilson, R. D., van Ravenzwaay, B. and Bus, J. S. (2001) Developmental toxicity studies in rats and rabbits on 2, 4-dichlorophenoxyacetic acid and its forms, Toxicological Sciences, vol. 60: 121–131.

- Chen, S. X. and Haas, K. (2011) Function directs form of neuronal architecture, Bioarchitecture, vol. 1: 2-4.
- Chrit, L., Hadjur, C., Morel, S., Sockalingum, G., Lebourdon, G., Leroy, F. and Manfait, M. (2005) *In vivo* chemical investigation of human skin using a confocal raman fiber optic microprobe, J. Biomed. Opt., vol. 10: 44007.
- Coen, M., Holmes, E., Lindon, J. C. and Nicholson, J. K. (2008) Nmr-based metabolic profiling and metabonomic approaches to problems in molecular toxicology, Chem. Res. Toxicol., vol. 21: 9–27.
- Conforti, F., Sosa, S., Marrelli, M., Menichini, F., Statti, G. A., Uzunov, D., Tubaro, A. and Menichini, F. (2009) The protective ability of mediterranean dietary plants against the oxidative damage: The role of radical oxygen species in inflammation and the polyphenol, flavonoid and sterol contents, Food Chemistry, vol. 112: 587-594.
- Crow, P., Molckovsky, A., Stone, N., Uff, J., Wilson, B. and Wong, L. M. (2005) Assessment of fiberoptic near-infrared raman spectroscopy for diagnosis of bladder and prostate cancer, Urology, vol. 65: 1126-1130.
- Crow, P., Molckovsky, A., Uff, J., Stone, N., Wilson, B. and Wongkeesong, L. M. (2004) Fibre-optics raman spectroscopy: The prospects for in-vivo diagnosis of bladder and prostate cancer, J. Urol., vol. 171: 68–68.
- Crupi, V., Majolino, D., Migliardo, P., Mondello, M. R., German, M. P. and Pergolizzi, S. (2001) FTIR molecular evidence of liver damage by chemical agents, Vibrational Spectroscopy, vol. 25: 213-222.
- Da Fonseca, M. B., Glusczak, L., Silveira Moraes, B., de Menezes, C. C., Pretto, A., Tierno, M. A., Zanella, R., Gonçalves, F. F. and Lecia Loro, V. (2008) The 2, 4-d herbicide effects on acetylcholinesterase activity and metabolic parameters of piava freshwater fish (*Ieporinus obtusidens*), Ecotoxicology and Environmental Safety, vol. 69: 416-420.
- De Moliner, K. L., Evangelista, A. M., Soto, E., Duffard, R. and Adamo, A. M. (2002) Induction of Apoptosis in Cerebellar Granule Cells by 2, 4-Dichlorophenoxyacetic Acid, Neurochemical Research, vol. 27: 1439-1446.
- Di Paolo, O., Duffard, A. M. and Duffard, R. (2001) *In vivo* and *in vitro* binding of 2, 4-dichlorophenoxyacetic acid to a rat liver mitochondrial protein, Chemico-Biological Interactions, vol. 137: 229–241.

- Diwakar, B. T., Dutta, P. K., Lokesh, B. R. and Naidu, K. A. (2008) Bio-availability and metabolism of n-3 fatty acid rich garden cress (*lepidium sativum*) seed oil in albino rats, Prostaglandins, Leukotrienes and Essential Fatty Acids, vol. 78: 123-130.
- Duchnowicz, P. and Koter, M. (2003) Damage to the erythrocyte membrane caused by chlorophenoxyacetic herbicides, Cell. Mol. Biol. Lett., vol. 8: 25-30.
- Duffard, R., Garcia, G., Rosso, S., Bortolozzi, A., Madariaga, M., Di Paolo, O. and Evangelista, A. M. (1996) Central nervous system myelin deficit in rats exposed to 2, 4-dichlorophenoxyacetic acid throughout lactation, Neurotoxicology and Teratology, vol. 18: 691–696.
- Dunn, W. B. and Ellis, D. I. (2005) Metabolomics: Current analytical platforms and methodologies, Trends Anal. Chem., vol. 24: 285–294.
- Eddouks, M., Maghrani, M., Zeggwagh, N. A. and Michel, J. B. (2005) Study of the hypoglycaemic activity of *lepidium sativum* l. Aqueous extract in normal and diabetic rats, Journal of Ethnopharmacology, vol. 97: 391-395.
- Eddouks, M., Maghrani, M., Zeggwagh, N. A. and Michel, J. B. (2005) Study of the hypoglycaemic activity of *lepidium sativum* l. Aqueous extract in normal and diabetic rats, J. Ethano. Pharmacol., vol. 97: 391–395.
- Edinger, A. and Thompson, C. (2004) Death by design: Apoptosis, necrosis and autophagy, Curr. Opin. Cell Biol, vol. 16: 663–669.
- Ellis, D. I., Broadhurst, D., Kell, D. B., Rowland, J. J. and Goodacre, R. (2002) Rapid and quantitative detection of the microbial spoilage of meat by fourier transform infrared spectroscopy and machine learning, Appl. Environ. Microbiol., vol. 68: 2822–2828.
- Ellis, D. I. and Goodacre, R. (2006) Metabolic fingerprinting in disease diagnosis: Biomedical applications of infrared and raman spectroscopy, Analyst, vol. 131: 875-885.
- EPA (2005), Reregistration Eligibility Decision for 2,4-D, New York: USA.
- Fahey, J. W., Zalcman, A. T. and Talalay, P. (2001) The chemical diversity and distribution of glucosinolates and isothiocyanates among plants, Phytochemistry, vol. 56: 5-51.
- Fanous, A., Weiland, F., Lück, C., Grg, A., Friess, A. and Parlar, H. (2007) A proteome analysis of *corynebacterium glutamicum* after exposure to the

- herbicide 2, 4-dichlorophenoxy acetic acid (2, 4-d), Chemosphere, vol. 69: 25-31.
- Fernandez, D. C., Bhargava, R., Hewitt, S. M. and Levin, I. W. (2005) Infrared spectroscopic imaging for histopathologic recognition, Nature Biotechnology vol. 23: 469 - 474.
- Fraile M. V., Patrón-Gallardo B., López-Rodríguez G. and P., C. (1999) Ftir study of multilamellar lipid dispersions containing cholesteryl linoleate and dipalmitoylphosphatidylcholine, Chem. Phys. Lipids, vol. 97: 119-128.
- Garabrant, D. H. and Philbert, M. A. (2002) Review of 2, 4-dichlorophenoxyacetic acid (2, 4-d) epidemiology and toxicology, Critical Reviews in Toxicology, vol. 32: 233–257
- Garip, S., Bozoglu, F. and Severcan, F. (2007) Differentiation of mesophilic and thermophilic bacteria with fourier transform infrared spectroscopy, Applied Spectroscopy, vol. 61: 186-192.
- Garry, V. F., Tarone, R. E., Kirsch, I. R., Abdallah, J. M., Lombardi, D. P., Long, L. K., Burroughs, B. L., Barr, D. B. and Kesner, J. S. (2001) Biomarker correlations of urinary 2, 4-d levels in forester: Genomic instability and endocrine disruption, Environmental Health Perspectives, vol. 109: 495–500.
- Goel, A., Dani, V. and Dhawan, D. K. (2005) Protective effects of zinc on lipid peroxidation, antioxidant enzymes and hepatic histoarchitecture in chlorpyrifos-induced toxicity, Chem Biol Interact., vol. 165: 131-140.
- Gokavi, S. S., Malleshi, N. G. and Guo, M. (2004) Chemical composition of garden cress (*lepidium sativum*) seeds and its fractions and use of bran as a functional ingredient, Plant Food. Hum. Nutr., vol. 59: 105–111.
- Gonzalez, N. V., Soloneski, S. and Larramendy, M. L. (2009) Dicamba-induced genotoxicity in chinese hamster ovary (cho) cells is prevented by vitamin E, Journal of Hazardous Materials, vol. 163: 337-343.
- Gonzalez-Tejero, M. R., Casares-Porcel, M., Snchez-Rojas, C. P., Ramiro-Gutiérrez, J. M., Molero-Mesa, J., Pieroni, A., Giusti, M. E., Censorii, E., de Pasquale, C., Della, A., Paraskeva-Hadijchambi, D., Hadjichambis, A., Houmani, Z., El-Demerdash, M., El-Zayat, M., Hmamouchi, M. and ElJohrig, S. (2008) Medicinal plants in the mediterranean area: Synthesis of the results of the project rubia, Journal of Ethnopharmacology, vol. 116: 341-357.

- Harrigan, G. G., LaPlante, R. H., Cosma, G. N., Cockerell, G., Goodacre, R., Maddox, J. F., Luyendyk, J. P., Ganey, P. E. and Roth, R. A. (2004) Application of high-throughput fourier-transform infrared spectroscopy in toxicology studies: Contribution to a study on the development of an animal model for idiosyncratic toxicity, Toxicol. Lett., vol. 146: 197–205.
- Hata, T. R., Scholz, T. A., Ermakov, I. V., McClane, R. W., Khachik, F., Gellermann, W. and Pershing, L. K. (2000) Non-invasive raman spectroscopic detection of carotenoids in human skin, J. Invest. Dermatol., vol. 115: 441–448.
- Heimbur, T., Esmann, M. and Marsh, D. (1997) Characterization of the secondary structure and assembly of the transmembrane domains of trypsinized na,k-atpase by fourier transform infrared spectroscopy, The Journal of Biological Chemistry, vol. 272: 25685-25692.
- Hudaib, M., Mohammad, M., Bustanji, Y., Tayyem, R., Yousef, M., Abuirjeie, M. and Aburjai, T. (2008) Ethnopharmacological survey of medicinal plants in jordan, mujib nature reserve and surrounding area, Journal of Ethnopharmacology, vol. 120: 63-71.
- Inouyea, M., Miob, T. and Suminob, K. (1999) Formation of 9-hydroxy linoleic acid as a product of phospholipid peroxidation in diabetic erythrocyte membranes, Biochem. Biophys. Acta, vol. 1438: 204-212.
- Jackson, M. and Mantsch, H. H. (1996) Infrared spectroscopy of biological molecules, New York, USA: Wiley-Liss press.
- Jagadeesan, G., Kavitha, A. V. and Subashini, J. (2005) FTIR study of the influence of tribulus terrestris on mercury intoxicated mice, mus musculus liver, Tropical Biomedicine, vol. 22: 15–22.
- Jagadeesan, G. and Mathivanan, A. (1999) Organic constituents changes induced by three different sub-lethal concentrations of mercury and recovery in the liver tissue of labco rohita finegerlings, Poll. Res., vol. 18: 177-181.
- Je, J.-Y., Park, P.-J., Kim, E.-K. and Ahn, C.-B. (2009) Antioxidant and angiotensin i converting enzyme inhibitory activity of bambusae caulis in liquamen, Food Chemistry, vol. 113: 932-935
- Jouad, H., Haloui, M., Rhiouani, H., El Hilaly, J. and Eddouks, M. (2001) Ethnobotanical survey of medicinal plants used for the treatment of diabetes, cardiac and renal diseases in the north centre region of morocco (fez-boulemane), Journal of Ethnopharmacology, vol. 77: 175–182.

- Kaderbhai, N. N., Broadhurst, D. I., Ellis, D. I., Goodacre, R. and Kell, D. B. (2003) Functional genomics via metabolic footprinting: Monitoring metabolite secretion by *Escherichia coli* tryptophan metabolism mutants using FTIR and direct injection electrospray mass spectrometry, Comp. Funct. Genom., vol. 4: 376–391.
- Kaioumova, D., Süsal, C. and Opelz, G. (2001) Induction of apoptosis in human lymphocytes by the herbicide 2, 4-dichlorophenoxyacetic acid, Human Immunology, vol. 62: 64-74.
- Kanter, E. M., Majumder, S., Kanter, G. J., Woeste, E. M. and Mahadevan-Jansen, A. (2009) Effect of hormonal variation on raman spectra for cervical disease detection, American Journal of Obstetrics and Gynecology, vol. 200: 512-515.
- Kassie, F., Laky, B., Gminski, R., Mersch-Sundermann, V., Scharf, G., Lhoste, E. and Kansmuller, S. (2003) Effects of garden and water cress juices and their constituents, benzyl and phenethyl isothiocyanates, towards benzo(a)pyrene-induced DNA damage: A model study with the single cell gel electrophoresis/hep g2 assay, Chemical Biology Interactions, vol. 3: 285–296.
- Kaur, P., Radotra, B., Minz, R.W. and Gill, K.D. (2007) Impaired mitochondrial energy metabolism and neuronal apoptotic cell death after chronic dichlorvos (OP) exposure in rat brain, Neurotoxicology, vol. 28: 1208-1219.
- Kendall, C., Stone, N., Shepherd, N., Kaderbhai, N., Geboes, K., Warren, B., Bennett, R. and Barr, H. (2003) Raman spectroscopy, a potential tool for the objective identification and classification of neoplasia in Barrett's oesophagus, J. Pathol., vol. 200: 602–609.
- Kim, Y., Rose, C. A., Liu, Y., Ozaki, Y., Datta, G. and Ut, A. T. (1994) FTIR and near-infrared FT-Raman studies of the secondary structure of insulinotropin in the solid state: A-helix to β -sheet conversion by phenol and/or high shear force, J. Pharm Sci., vol. 83: 1175–1180.
- Knasmüller, S., Steinkellner, H., Majer, B. J., Nobis, E. C., Scharf, G. and Kassie, F. (2002) Search for dietary antimutagens and anticarcinogens: Methodological aspects and extrapolation problems, Food and Chemical Toxicology, vol. 40: 1051-1062.
- Kneipp, J., Lasch, P., Baldauf, E., Beekes, M. and Naumann, D. (2000) Detection of pathological molecular alterations in scrapie-infected hamster brain by Fourier

- transform infrared (FTIR) spectroscopy, Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease, vol. 1501: 189-199.
- Kodati, V. R. and Yu, A. T. (1990) Raman spectroscopic identification of cystine-type kidney stone, Appl. Spectrosc., vol. 44: 837–839.
- Komilis, D. P. and Tziouvaras, I. S. (2009) A statistical analysis to assess the maturity and stability of six composts, Waste Management, vol. 29: 1504-1513.
- Koshiishi, I., Tsuchida, K., Takajo, T. and Komatsu, M. (2005) Quantification of lipid alkyl radicals trapped with nitroxyl radical via hplc with postcolumn thermal decomposition, J. Lipid Res., vol. 46: 2506–2513.
- Kuhnle, G. G. C., dell'aquila, C., Aspinall, S. M., Runswick, S. A., Joosen, A. M. C. P., Mulligan, a. A. and Bingham, S. A. (2009) Phytoestrogen content of fruits and vegetables, Food Chemistry, vol. 116: 542–554.
- Kulikowska-Karpińska, E. and Moniuszko-Jakoniuk, J. (2004) The antioxidative barrier in the organism, Polish Journal of Environmental Studies, vol. 13: 5-13.
- Lamba, O. P., Lal, S., Yappert, M. C., Lou, M. F. and Borchman, D. (1991) Spectroscopic detection of lipid peroxidation products and structural changes in a sphingomyelin model system, Biochim. Biophys. Acta, vol. 1081: 181–187.
- Lamy, E., Schrder, J., Paulus, S., Brenk, P., Stahl, T. and Mersch-Sundermann, V. (2008) Antigenotoxic properties of eruca sativa (rocket plant), erucin and erysolin in human hepatoma (hepg2) cells towards benzo(a)pyrene and their mode of action, Food and Chemical Toxicology, vol. 46: 2415-2421.
- Lee, K., Johnson, V. L. and Blakley, B. R. (2001) The effect of exposure to a commercial 2, 4-d formulation during gestation on the immune response in cd-1 mice, Toxicology, vol. 165: 39–49.
- Lewis, E. N., Treado, P. J., Reeder, R. C., Story, G. M., Dowrey, A. E., Marcott, C. and Levin, I. W. (1995) Fourier transform spectroscopic imaging using an infrared focal-plane array detector, Journal of Analytical Chemistry, vol. 67: 3377 – 3381.
- Liang, Q., He, J. S. and Fulco, A. (1995) The role of barbie box sequences as cis-acting elements involved in the barbiturate-mediated induction of cytochromes p450bm1 and p450 bm2 in bacillus megaterium, Journal of Biological Chemistry, vol. 270: 4438-4450.
- Lieber, C. S. (1999) Microsomal ethanol-oxidizing system (meos): The first 30 years (1968-1998), Alcohol. Clin. Exp. Res., vol. 23: 991–1007.

- Liu, K. Z. and Mantsch, H. H. (2001) Apoptosis-induced structural changes in leukemia cells identified by ir spectroscopy, Journal of Molecular Structure, vol. 565-566: 299-304.
- Liu, K.-Z., Jia, L., Kelsey, S. M., Newland, A. C. and Mantsch, H. H. (2001) Quantitative determination of apoptosis on leukemia cells by infrared spectroscopy, Apoptosis, vol. 6: 269-278.
- Luybaert, J., Zhang, M. H. and Massart, D. L. (2003) Feasibility study for the use of near infrared spectroscopy in the qualitative and quantitative analysis of green tea, *camellia sinensis*, Analytica Chimica Acta, vol. 478: 303–312.
- Madrigal-Bujaidar, E., Hernandez-Ceruelos, A. and Chamorro, G. (2001) Induction of sister chromatid exchanges by 2, 4-dichlorophenoxyacetic acid in somatic and germ cells of mice exposed *in vivo*, Food and Chemical Toxicology, vol. 39: 941–946.
- Maghrani, M., Zeggwagh, N.-A., Michel, J.-B. and Eddouks, M. (2005) Antihypertensive effect of lepidium sativum l. In spontaneously hypertensive rats, Journal of Ethnopharmacology, vol. 100: 193-197.
- Maier, U. H., Gundlach, H. and Zenk, M. H. (1998) Seven imidazole alkaloids from lepidium sativum, Phytochemistry, vol. 49: 1791–1795.
- Maire, M. A., Rast, C., Landkocz, Y. and Vasseur, P. (2007) 2, 4-dichlorophenoxyacetic acid: Effect on syrian hamster embryo (she) cell transformation, c-myc expression, DNA damage and apoptosis, Genetic Toxicology and Environmental Mutagenesis, vol. 631: 124-136.
- Malatesta, M., Perdoni, F., Santin, G., Battistelli, S., Muller, S. and Biggiogera, M. (2008) Hepatoma tissue culture (htc) cells as a model for investigating the effect of low concentration of herbicide on cell structure and function, Toxicology in Vitro, vol. 22: 1853-1860.
- Manda, K., Ueno, M., Moritake, T. and Anzai, K. (2007) Alpha-lipoic acid attenuates x-irradiation-induced oxidative stress in mice, Cell Biol. Toxicol., vol. 23: 129–137.
- Mantsch, H. H. (2001) Apoptosis-induced structural changes in leukemia cells identified by ir spectroscopy, J. Mol. Str., vol. 565-566: 299-304.
- Mates, J. M. (2000) Effects of antioxidant enzymes in the molecular control of reactive oxygen species toxicology, Toxicology, vol. 153: 83-104.

- Melin, A. M., Allery, A., Perromat, A., Bebear, C., Deleris, G. and DE Barbeyrac, B. (2004) Fourier transform infrared spectroscopy as a new tool for characterization of mollicutes, Journal of Microbiological Methods, vol. 56: 73-82.
- Menashi, A. C. and Basil, R. (1998) Cytologically normal cells from neoplastic cervical samples display extensive structural abnormalities on ir spectroscopy: Implications for tumor biology, Proc. Natl. Acad. Sci. U. S. A., vol. 95: 15327-15332.
- Mirza, M. and Navaei, M. N. (2006) Essential oil composition of lepidium sativum, Iranian Journal of Medicinal and Aromatic Plants, vol. 21: 481-488.
- Mohan, S., Pushpindar, K., Rajat, S. and Ravi, K. (2008) Protective effects of vitamin E against atrazine-induced genotoxicity in rats, Mutation Research, vol. 654: 145–149.
- Morgan, M. K., Scheuerman, P. R., Bishop, C. S. and Pyles, R. A. (1996) Teratogenic potential of atrazine and 2, 4-d using fetax, Journal of Toxicology and Environmental Health, vol. 48: 58–61.
- Mountassif, D., Andreoletti, P., El Kebbaj, Z., Moutaouakkil, A., Malki, M. and Latruffe, N. (2008) A new purification method for characterization of the mitochondrial membrane-bound 3-hydroxybutyrate dehydrogenase from jaculus orientalis, J. Biochem., vol. 9: 26-36.
- Nadine, D., Moneim, S., Sandrine, A.-D., Clement, D., Isabelle, M., Peirre, C., Jean-Yves, D. and Evelyne, P. (2006) Acute oxidative stress is associated with cell proliferation in the mouse liver, FEBS Letters, vol. 580: 3845-3852.
- Nadkarni'S, K. M. (1995) A focus of tissue necrosis increase of renal, Indian materia medica. Reprint, vol. 1: 736.
- Nagata K., Suzuki H. and Sakaguchi S. (2007) Common pathogenic mechanism in development progression of liver injury caused by non-alcoholic or alcoholic steatohepatitis, J Toxicol Sci., vol. 32: 453–468.
- Nakagawa, Y., Nakajima, K. and Suzuki, T. (2004) Chlorpropham induces mitochondrial dysfunction in rat hepatocytes, Toxicology, vol. 200: 123-133.
- Navarro, E., Alonso, J., Rodriguez, R., Trujillo, J. and Boada, J. (1994) Diuretic action of an aqueous extract of lepidium latifolium l., Journal of Ethnopharmacology, vol. 41: 65–69.

- Naveke, A., Lapouge, K., Sturgis, J. N., Hartwich, G., Simonin, J., Scheer, H. and Robert, B. (1997) Resonance raman spectroscopy of metal-substituted bacteriochlorophylls: Characterization of raman bands sensitive to bacteriochlorin conformation, J. Raman Spectrosc., vol. 28: 599–604.
- O'Hagan, S., Dunn, W. B., Brown, M., Knowles, J. D. and Kell, D. B. (2005) Multiobjective optimization of analytical instrumentation: Gas chromatography/time-of-flight mass spectrometry of the metabolomes of human serum and of yeast fermentations, Anal. Chem., vol. 77: 290–303.
- Okey, A. B. (1990) Enzyme induction in the cytochrome p450 system, Pharmacol. Ther., vol. 33: 1-9.
- Ong, C. W., Shen, Z. X., He, Y., Lee, T. and Tang, S. H. (1999) Raman microspectroscopy of the brain tissues in the substantia nigra and mprp-induced parkinson's disease, J. Raman Spectrosc., vol. 30: 91–96.
- Oruc, E. O. and Uner, N. (2000) Combined effects of 2, 4-d and azinphosmethyl on antioxidant enzymes and lipid peroxidation in liver of oreochromis niloticus, Comparative Biochemistry and Physiology, vol. 127: 291–296.
- Osaki, K., Mahler, J.F., Hasemann, J.K., Moomaw, C.R., Nicolette, and M.L., N., A. (2001) Unique renal tubule changes induced in rats and mice by the peroxisome proliferators 2,4 dichlorophenoxyacetic acid (2, 4-d) and wy-14643, Toxicologic Pathology, vol. 29: 440–450.
- Otto, C., De Grauw, C. J., Duindam, J. J., Sijtsema, N. M. and Greve, J. (1997) Applications of micro-raman imaging in biomedical research, J. Raman Spectrosc., vol. 28: 143–150.
- Ozaki, K., Mahler, J. F., Haseman, J. K., Moomaw, C. R., Nicolette, M. L. and Nyska, A. (2001) Unique renal tubule changes induced in rats and mice by the peroxisome proliferators 2, 4-dichlorophenoxyacetic acid (2, 4-d) and wy-14643, Toxicology and Pathology, vol. 29: 440–450.
- Palaniappan, P. and Vijayasundaram V. (2009) The FTIR study of the brain tissue of labeo rohita due to arsenic intoxication, Microchemical J., vol. 91: 118-124.
- Palmeira, C. M., Morena, A. J. and Madeira, V. M. (1995a) Metabolic alterations in hepatocytes promoted by the herbicides paraquate, dinoseb and 2, 4-d, Archives Toxicology, vol. 68: 24–31.

- Palmeira, C. M., Moreno, A. J. and Madeira, V. M. C. (1995b) Thiols metabolism is altered by the herbicides paraquat, dinoseb and 2, 4-d: A study in isolated hepatocytes, Toxicology Letters, vol. 81: 115–123.
- Patel, U., Kulkarni, M., Undale, V. and Bhosale, A. (2009) Evaluation of diuretic activity of aqueous and methanol extracts of lepidium sativum garden cress (cruciferae) in rats, Trop. J. Pharm. Res., vol. 8: 215-219.
- Pattabhi, V. Gautham, N. (2002) Biophysics, New delhi, India: Kluwer Academic publisher.
- Perromat, A., Melin, A. and Dél  ris, G. (2001) Pharmacologic application of fourier transform infrared spectroscopy: The *in vivo* toxic effect of carrageenan, Applied Spectroscopy, vol. 55: 1166–1172.
- Petibois, C., Cazorla, G., Poortmans, J.-R. and Dél  ris, G. (2003) Biochemical aspects of overtraining in endurance sports: The metabolism alteration process syndrome, Sports Medicine, vol. 33: 83-94.
- Petibois, C. and Dél  ris, G. (2006) Chemical mapping of tumor progression by FTIR imaging: Towards molecular histopathology, Trends in Biotechnology, vol. 24: 455-462.
- Peuchant, E., Richard-Harston, S., Bourdel-Marchassona, I., Dartigues, J.-F., Letenneur, L., Barberger-Gateau, P., Arnaud-Dabernata, S. and Daniela, J.-Y. (2008) Infrared spectroscopy: A reagent-free method to distinguish alzheimer's disease patients from normal-aging subjects, Translational Research, vol. 152: 103-112.
- Pogosyan S.J., Nikolia, V. Shevchenko, N.V. and Merziak, M.N. (1984) Stimulation of NADPH – dependent lipid peroxidation by 2, 4-dichlorofenoxyacetic acid and diquat in microsomes isolated from pisum sativum, Plant Science Letters, vol. 37: 69-72.
- Poleksi, V. and Karan, V. (1999) Effects of trifluralin on carp: Biochemical and histological evaluation, Ecotoxicol. Environ. Safe., vol. 43: 213–221.
- Priya V., Sankari G., Jainu M., Surapani K. M., Aishwa T. S., Saraswathi P. and S., G. V. (2010) Auto fluorescence and fourier transform – infra red (ftir) spectral investigation on di ethyl nitrosamine (den) induced hepatocellular carcinoma, treated with pericarp extract of garcinia mangostana linn in rats, Journal of Clinical and Diagnostic Research, vol. 3289: 3289-3297.

- Qu, J., Suria, D. and Wilson, B. C. (1998) Application of laser raman spectroscopy in concentration measurements of multiple analytes in human body fluids, SPIE-Int. Soc. Opt. Eng., vol. 3253: 72–76.
- Raouf, G. A., Al-Malki, A., Mansouri, N. and Mahmoudi, R. (2011) Preliminary study in diagnosis and early prediction of preeclampsia by using FTIR spectroscopy technique, Life Science Journal, vol. 8: 827-836.
- Raouf, G. A., Khorshid, F. A. and Kumosani, T. (2009) FTIR spectroscopy as a tool for identification of apoptosis-induced structural changes in a549 cells dry samples treated with (PMF701), Int.J. Nano and Biomaterials, vol. 2: 396-408.
- Rasier, G., Toppari, J., Parent A.S. and Bourguignon, J. B. (2006) Female sexual maturation and reproduction after prepubertal exposure to estrogens and endocrine disrupting chemicals: A review of rodent and human data, Mol. Cell Endocrinol, vol. 254–255: 187–201.
- Rigas, B., Patrick, T. and Wong, T. (1992) Human colon adenocarcinoma cell lines display infrared spectroscopic features of malignant colon tissue, Cancer Research, vol. 52: 84-88.
- Robin, M., Sauvage, I., Grandperret, T., Descatoire, V., Pessayre, D. and Fromenty, B. (2005) Ethanol increases mitochondrial cytochrom p450 2e1 in mouse liver and rat hepatocytes, FEBS Lett., vol. 579: 6895-6902.
- Rodriguez-Casado J., Alvarez M. I., De Miguel E., Toledano A. and Carmona, P. (2007) Amphetamine effects on oxidative stress and formation of proteic beta-sheet structures as revealed by ftir microspectroscopy, Biopolymers, vol. 86: 437-446.
- Rosso, S. B., Caceres, A. O., de Duffard, A. M., de Duffard, R. O. and Quiroga, S. (2000) 2, 4-dichlorophenoxyacetic acid disrupts the cytoskeleton and disorganizes the golgi apparatus of cultured neurons, Toxicological Sciences, vol. 56: 133–140.
- Sasic, S., Morimoto, M., Otsuka, M. and Ozaki, Y. (2005) Two—dimensional correlation spectroscopy as a tool for analyzing vibrational images, Vibr. Spec., 37:217–24.
- Schmitt, J. and Flemming, H. C. (1998) Ftir-spectroscopy in microbial and material analysis, Int. Biodeterior. Biodegrad., vol. 41: 1–11.
- Schubert, J. M., Bird, B., Papamarkakis, K., Miljkovic, M., Bedrossian, K., Laver, N. and Diem, M. (2010) Spectral cytopathology of cervical samples: Detecting

- cellular abnormalities in cytologically normal cells, Lab Invest., vol. 90:1068-77.
- Severcan, F. and Haris, P. (2003) The main unfolding and aggregation of pcs is preceded by the unfolding of a minor structure at lower temperature, Biopolymers, vol. 69: 440-447.
- Severcan F., Gorgulu G., Gorgulu T.S. and T., G. (2005) Rapid monitoring of diabetes-induced lipid peroxidation by fourier transform infrared spectroscopy: Evidence from rat liver microsomal membranes, Anal. Biochem., vol. 339: 36-40.
- Shan-Yang Lin, Li, M.-J. and Cheng, W.-T. (2007) FTIR and raman vibrational microspectroscopies used for spectral biodiagnosis of human tissues, Spectroscopy, vol. 21: 1–30.
- Shim, M. G., Song, L., Marcon, N. E. and Wilson, B. C. (2000) *In vivo* near-infrared raman spectroscopy: Demonstration of feasibility during clinical gastrointestinal endoscopy, Photochem. Photobiol., vol. 72: 146–150.
- Shim, M. G. and Wilson, B. C. (1997) Development of an *in vivo* raman spectroscopic system for diagnostic applications, J. Raman Spectrosc., vol. 28: 131–142.
- Shim, M. G., Wilson, B. C., Marple, E. and Wach, M. (1999) A study of fiber-optic probes for *in vivo* medical raman spectroscopy, Appl. Spectrosc., vol. 53: 619–627.
- Shinall H., Song E.S. and Hersh L.B. (2005) Susceptibility of amyloid beta peptide degrading enzymes to oxidative damage: A potential alzheimer's disease spiral, Biochemistry, vol. 44: 15345–15350.
- Shui, G. and Peng, L. L. (2004) An improved method for the analysis of major antioxidants of hibiscus esculentus linn, J. of Chromatography, vol. 1048: 17-24.
- Shukla, A., Singh, C. S. and Bigoniya, P. (2011) Phytochemical and cns activity of lepidium sativum linn. Seeds total alkaloid, Der Pharmacia Lettre, vol. 3: 226-237.
- Sills, R. H., Moore, D. J. and Mendelsohn, R. (1994) Erythrocyte peroxidation: Quantitation by fourier transform infrared spectroscopy, Anal. Biochem., vol. 218: 118–123.

- Singh, B., Sharma, D. K. and Gupta, A. (2009) A study towards release dynamics of thiram fungicide from starch-alginate beads to control environmental and health hazards, Journal of Hazardous Materials, vol. 161: 208-216.
- Snively, C. M. and Koenig, J. L. (1999) Fast ftr imaging: A new tool for the study of semicrystalline polymer morphology, Journal of Polymer Science Part B: Polymer Physics, vol. 37: 2353 - 2359.
- Smith, R.A.J., Porteous, C.M. and Murphy, C.M. (1999) Selective targeting of an antioxidant to mitochondria, Eur J Biochem., vol. 263: 709–16.
- Socrates, G. (2001) Infrared and raman characteristic groups frequencies. Tables and charts, Chichester: Wiley press.
- Sonia, H., Maria, B. K., Ronald, P. M. and Ohara, A. (2000) *In vivo* metabolism of tert-butyl hydroperoxide to methyl radicals. Epr spin-trapping and DNA methylation studies, Chem. Res. Toxicol., vol. 13: 1056 -1064.
- Sreelatha, S., Padma, P. R. and Umadevi, M. (2009) Protective effects of coriandrum sativum extracts on carbon tetrachloride-induced hepatotoxicity in rats, Food and Chemical Toxicology, vol. 47: 702-708
- Stadtman, E. R. (1990) Metal ion-catalyzed oxidation of proteins: Biochemical mechanism and biological consequences, Free Radic Biol Med., vol. 9: 315–325.
- Steinkellner, H., Rabot, S., Freywald, C., Nobis, E., Scharf, G., Chabicovsky, M., Knasmüller, S. and Kassie, F. (2001) Effects of cruciferous vegetables and their constituents on drug metabolizing enzymes involved in the bioactivation of DNA-reactive dietary carcinogens, Fundamental and Molecular Mechanisms of Mutagenesis, vol. 480-481: 285-297.
- Stuart, B. (1997) Biological Applications of Infrared Spectroscopy, Chichester, UK: Wiley press.
- Stüven, J. and Pflugmacher, S. (2007) Antioxidative stress response of lepidium sativum due to exposure to cyanobacterial secondary metabolites, Toxicol., vol. 50: 85-93.
- Sudworth, C., D., Archer, J., K. J. and Mann, D. (2001) The potential use of raman spectroscopy for diagnosis of alzheimer's disease, Progress in biomedical optics and imaging, vol. 5969: 59691G

- Sueyoshi, T. and Negishi, M. (2001) Phenobarbital response elements of cytochrome p450 genes and nuclear receptors., Annual Review of Pharmacology & Toxicology, vol. 41: 123-143.
- Sulik, M., Kisielewski, W., Szynaka, B., Kemon, A., Sulkowska, M. and Baltaziak, M. (1998) Morphological changes in mitochondria and lysosomes of hepatocytes in acute intoxication with 2, 4-dichlorophenoxyacetic acid, Materia Medica Polona, vol. 30: 16–19.
- Sureau, F., Chinsky, L., Amirand, C., Ballini, J. P., Duquesne, M., Laigle, A., Turpin, P. Y. and Vigny, P. (1990) An ultraviolet micro-raman spectrometer: Resonance raman spectroscopy within single living cells, Appl. Spectrosc., vol. 44: 1047–1051.
- Szalontai, B., Nishiyama, Y., Gombos, Z. and Murata, N. (2000) Membrane dynamics as seen by fourier transform infrared spectroscopy in a cyanobacterium, *synechocystis*, The effects of lipid unsaturation and the protein to lipid ratio, Biochim. Biophys. Acta, vol. 1509: 409-419.
- Tahraoui, A., El Hilaly, J., Israili, Z. H. and Lyoussi, B. (2007) Ethnopharmacological survey of plants used in the traditional treatment of hypertension and diabetes in south-eastern morocco (errachidia province), Journal of Ethnopharmacology, vol. 110: 105–117.
- Tayeb, W., Nakbi, A., Trabelsi, M., Attia, N., Miled, A. and Hammamia, M. (2010) Hepatotoxicity induced by sub-acute exposure of rats to 2, 4-dichlorophenoxyacetic acid based herbicide “désormone lourde”, Journal of Hazardous Materials, vol. 180: 225-33.
- Tompkins, L. M. and Wallace, A. D. (2007) Mechanisms of cytochrome p450 induction, J Biochem Moleculer Toxicology, vol. 21: 176-181.
- Thompson, C. B. (1995) Apoptosis in the pathogenesis and treatment of disease, Science, vol. 267: 1456-1462.
- Torreggiani, A. and Fini, G. (1999) Drug–antiserum molecular interactions: A raman spectroscopic study, J. Raman Spectrosc., vol. 30: 295–300.
- Toyran, N., Lasch, P., Naumann, D., Turan, B. and Severcan, F. (2006) Early alterations in myocardia and vessels of the diabetic rat heart: An ftir microspectroscopic study, Biochemical Journal, vol. 397: 427-436.
- Toyran, N., Zorlu, F., Donmez, G., Ode, K. L. and Severcan, F. (2004) Chronic hypoperfusion alters the content and structure of proteins and lipids of rat brain

- homogenates: A fourier transform infrared spectroscopy study, Eur. Biophys. J., vol. 33: 549-554.
- Toyran, N., Zorlu, F. and Severcan, F. (2005) Effect of stereotactic radiosurgery on lipids and proteins of normal and hypoperfused rat brain homogenates: A fourier transform infrared spectroscopy study, Int.J. Radiat. Biol., vol. 81: 911-918.
- Turégano, L., Martínez-Rodríguez, R., Alvarez M.I., Grajera RR, Gómez, de Segura, A., De Miguel, E. and Toledano, A. (2001) Histochemical study of acute and chronic intraperitoneal nicotine effects on several glycolitic and krebs cycle deshydrogenase activities in the frontoparietal cortex and subcortical nuclei of the rat brain, Journal of Neuroscience Research, vol. 64: 626-635.
- Tuschl, H. and Schwab, C. (2003) Cytotoxic effect of the herbicide 2, 4-dichlorophenoxyacetic acid in hepg2 cells, Food and Chemical Toxicology, vol. 41: 385-393.
- Van de Voort, F. R., Ismail, A. A., Sedman, J. and Emo, G. (1994) Monitoring the oxidation of edible oils by fourier transform infrared spectroscopy, J Am Oil Chem Soc., vol. 71: 243–253.
- Vishnu Priya, V., Sankari, G., Jainu; M., Surapaneni, K. M., Aishwarya, T. S., Saraswathi, P. and Chandra Sada Gopan, V. S. (2010) Auto fluorescence and fourier transform – infrared (ftir) spectral investigation on diethyl nitrosamine (den) induced hepatocellular carcinoma, treated with pericarp extract of garcinia mangostana linn in rats, Journal of Clinical and Diagnostic Research, vol. 4: 3289-3297.
- Vivacons, M. and Moreno, J. J. (2005) Beta-sitosterol modulates antioxidant enzyme response in raw 264.7 macrophages, Free Radical Biology & Medicine, vol. 39:
- Waite D.T., Cess NA A.J., Grover R., Kerr L.A. and A.D., S. (2002) Environmental concentrations of agricultural herbicides: 2,-4-d and triallate, J. Environ. Qual., vol. 31: 129-144.
- Wentrup-Byrne, E., Armstrong, C. A., Armstrong, R. S. and Collins, B. M. (1997) Fourier transform raman microscopic mapping of the molecular components in a human tooth, J. Raman Spectrosc., vol. 28: 151–158.
- Whitlock, J. P. (1993) Mechanistic aspects of dioxin action, Chem. Res. Toxicol., vol. 6: 754-763.

- Willcox, J. K., Ash, S. L. and Catignani, G. L. (2004) Antioxidants and prevention of chronic disease, Critical Reviews in Food Science and Nutrition, vol. 44: 275-295.
- Yadav, Y. C., Srivastav, D. N., Seth, A. K., Saini, V., Balaraman, R. and Ghelani, T. K. (2010) *In vivo* antioxidant potential of lepidium sativum l. Seeds in albino rats using cisplatin induced nephrotoxicity, International Journal of Phytomedicine, vol. 2: 292-298.
- Yan Cheng, Yiyang Dong, Jinghang Wub, Xiaoran Yang, Hua Bai, Hongyan Zheng, Dongmei Ren, Yundong Zou and Li, M. (2010) Screening melamine adulterant in milk powder with laser raman spectrometry, Journal of Food Composition and Analysis, vol. 23: 199–202.
- Yao, H., Tao, Z., Ai, M., Peng, L., Wang, G., He, B. and Li, Y.-q. (2009) Raman spectroscopic analysis of apoptosis of single human gastric cancer cells, Vibrational Spectroscopy, vol. 50: 193-197
- Yen, W. J., Chang, L. W. and Duh, P. D. (2005) Antioxidant activity of peanut seed testa and its antioxidative component, ethyl protocatechuate, Lebensm. Wiss. Technol., vol. 38: 193–200.
- Yoon, S., Maruyama, Y., Kazusaka, A. and Fujita, S. (2000) Application of ft -ir and esr spectroscopic techniques to the study of ccl4 -induced peroxidation in rat liver microsomes, Jpn.J. Vet. Res., vol. 47: 151-154.
- Zhao, X. and Spiro, T. G. (1998) Ultraviolet resonance raman spectroscopy of hemoglobin with 200 and 212 nm excitation: H-bonds of tyrosines and prolines, J. Raman Spectrosc., vol. 29: 49–55.
- Zwart, L. L., Meerman, J. H. N., Commandeur, J. N. M. and Vermeulen, N. P. E. (1999) Biomarkers of free radical damage applications in experimental animals and in humans, Free Radic. Biol. Med., vol. 26: 202-226.